




EC Axial Fan Ø200x72.5mm

Axial Fans




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP55	B	-25°C ~ +60°C	1.2KG	E1





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PA3N200B2E-RN0	BE72EC	BALL	230	50/60	0.45	58	3000	1150	310	62

EC Axial Fan Ø200x80mm



Axial Fans


Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP55	Insulation Class B	Operating Temperature -25°C ~ +60°C	Weight 1.86KG	Wiring Mode E1
---	------------------------------	-------------------------	-----------------------	--	------------------	-------------------





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PA3N200B2E-RZ0	BE72EC	BALL	230	50/60	0.45	58	3000	1150	310	62

EC Axial Fan Ø200x80.5mm

Axial Fans




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP55	B	-25°C ~ +60°C	1.2KG	E1





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PA3N200B2E-SN0	BE72EC	BALL	230	50/60	0.85	115	4100	1650	200	66

EC Axial Fan Ø200x80mm




Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP55	Insulation Class B	Operating Temperature -25°C ~ +60°C	Weight 1.86KG	Wiring Mode E1
---	------------------------------	-------------------------	-----------------------	--	------------------	-------------------





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PA3N200B2E-SZ0	BE72EC	BALL	230	50/60	0.85	115	4100	1650	200	66

EC Axial Fan Ø250x72.5mm

Axial Fans




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP55	B	-25°C ~ +60°C	1.4KG	E1





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PA3N250B2E-RN0	BE72EC	BALL	230	50/60	0.65	85	2600	1700	210	61

EC Axial Fan Ø250x80mm




Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP55	Insulation Class B	Operating Temperature -25°C ~ +60°C	Weight 2.2KG	Wiring Mode E1
---	------------------------------	-------------------------	-----------------------	--	-----------------	-------------------





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PA3N250B2E-RZ0	BE72EC	BALL	230	50/60	0.65	85	2600	1700	210	61

EC Axial Fan Ø250x80.5mm

Axial Fans




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP55	B	-25°C ~ +60°C	1.4KG	E1





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PA3N250B2E-SN0	BE72EC	BALL	230	50/60	0.9	120	3000	1900	200	63

EC Axial Fan Ø250x80mm



Axial Fans


Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP55	Insulation Class B	Operating Temperature -25°C ~ +60°C	Weight 2.2KG	Wiring Mode E1
---	------------------------------	-------------------------	-----------------------	--	-----------------	-------------------





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PA3N250B2E-SZ0	BE72EC	BALL	230	50/60	0.9	120	3000	1900	200	63

EC Axial Fan Ø300x102mm

Axial Fans




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP55	B	-25°C ~ +60°C	2.1KG	E1





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N300B2E-TN0	BE72EC	BALL	230	50/60	1.1	150	1920	2400	160	66

EC Axial Fan Ø360x106.5mm




Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP55	Insulation Class B	Operating Temperature -25°C ~ +60°C	Weight 3.2KG	Wiring Mode E1
---	------------------------------	-------------------------	-----------------------	--	-----------------	-------------------





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N300B2E-TZ0	BE72EC	BALL	230	50/60	1.1	150	1920	2400	160	66

EC Axial Fan Ø368x90mm

Axial Fans




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP55	B	-25°C ~ +60°C	3.4KG	E1





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PW3N300B2E-TZ0	BE72EC	BALL	230	50/60	1.1	150	1920	2400	160	66

EC Axial Fan Ø300x96.5mm




Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP55	Insulation Class B	Operating Temperature -25°C ~ +60°C	Weight 2.8KG	Wiring Mode E2
---	------------------------------	-------------------------	-----------------------	--	-----------------	-------------------





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N300B2E-MN0	BE92EC	BALL	230	50/60	1.5	220	2200	2800	230	68

EC Axial Fan Ø360x100.5mm

Axial Fans




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP55	B	-25°C ~ +60°C	4.0KG	E2





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N300B2E-MZ0	BE92EC	BALL	230	50/60	1.5	220	2200	2800	230	68

EC Axial Fan Ø350x177mm



Axial Fans


Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP55	Insulation Class F	Operating Temperature -25°C ~ +60°C	Weight 6.1KG	Wiring Mode E3
---	------------------------------	-------------------------	-----------------------	--	-----------------	-------------------





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N350B2E-ZN5	BE102EC	BALL	230	50/60	3.1	700	2500	4700	500	69

EC Axial Fan Ø422x175.5mm

Axial Fans




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP55	F	-25°C ~ +60°C	8.0KG	E3





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N350B2E-ZW5	BE102EC	BALL	230	50/60	3.1	700	2500	4700	500	69

EC Axial Fan Ø350x109mm




Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP55	Insulation Class B	Operating Temperature -25°C ~ +60°C	Weight 3.65KG	Wiring Mode E2
---	------------------------------	-------------------------	-----------------------	--	------------------	-------------------





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N350B2E-MN0	BE92EC	BALL	230	50/60	1.5	200	1580	3500	230	67

EC Axial Fan Ø422x116.5mm

Axial Fans




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP55	B	-25°C ~ +60°C	5.5KG	E2





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N350B2E-MZ0	BE92EC	BALL	230	50/60	1.5	200	1580	3500	230	67

EC Axial Fan Ø400x177mm




Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP55	Insulation Class F	Operating Temperature -25°C ~ +60°C	Weight 6.4KG	Wiring Mode E3
---	------------------------------	-------------------------	-----------------------	--	-----------------	-------------------





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N400B2E-ZN5	BE102EC	BALL	230	50/60	3.1	700	1800	5900	300	73

EC Axial Fan Ø522x181.5mm

Axial Fans




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP55	F	-25°C ~ +60°C	8.5KG	E3





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N400B2E-ZW5	BE102EC	BALL	230	50/60	3.1	700	1800	5900	300	73

EC Axial Fan Ø400x95mm




Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP55	Insulation Class B	Operating Temperature -25°C ~ +60°C	Weight 3.9KG	Wiring Mode E2
---	------------------------------	-------------------------	-----------------------	--	-----------------	-------------------





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N400B2E-MN0	BE92EC	BALL	230	50/60	1.25	170	1200	4000	110	68

EC Axial Fan Ø470x101.5mm

Axial Fans




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP55	B	-25°C ~ +60°C	6.5KG	E2





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N400B2E-MZ0	BE92EC	BALL	230	50/60	1.25	170	1200	4000	110	68

EC Axial Fan Ø450x177mm



Axial Fans


Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP55	Insulation Class F	Operating Temperature -25°C ~ +60°C	Weight 6.5KG	Wiring Mode E3
---	------------------------------	-------------------------	-----------------------	--	-----------------	-------------------





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N450B2E-ZN5	BE102EC	BALL	230	50/60	1.7	380	1400	7400	270	75

EC Axial Fan Ø522x186mm

Axial Fans




Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP55	F	-25°C ~ +60°C	8.0KG	E3





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N450B2E-ZW5	BE102EC	BALL	230	50/60	1.7	380	1400	7400	270	75

EC Axial Fan Ø500x177mm



Axial Fans


Motor Type EC BRUSHLESS EXTERNAL ROTOR MOTOR	Speed Control 0-10VDC/PWM	Protection Type IP55	Insulation Class F	Operating Temperature -25°C ~ +60°C	Weight 6.9KG	Wiring Mode E3
---	------------------------------	-------------------------	-----------------------	--	-----------------	-------------------





Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N500B2E-ZN5	BE102EC	BALL	230	50/60	3.1	700	1550	8700	250	71

EC Axial Fan Ø570x186mm

Axial Fans



Motor Type	Speed Control	Protection Type	Insulation Class	Operating Temperature	Weight	Wiring Mode
EC BRUSHLESS EXTERNAL ROTOR MOTOR	0-10VDC/PWM	IP55	F	-25°C ~ +60°C	8.1KG	E3



Model	Motor	Bearing System	Rated Voltage	Frequency	Rated Current	Rated Power	Rated Speed	Air Flow	Air Pressure	Sound Level
Part No.	Type	B/S	VAC	Hz	A	W	RPM	M³/H	Pa	dB(A)
PG3N500B2E-ZW5	BE102EC	BALL	230	50/60	3.1	700	1550	8700	250	71